

Wi-Fi CERTIFIED™ Certification Overview

March 2020

Proprietary | © Wi-Fi Alliance

Wi-Fi CERTIFIED[™] certification overview

- Wi-Fi Alliance[®] members may apply for product certifications in the Wi-Fi CERTIFIED[™] program
- New product certifications may be obtained in two ways:
 - Testing at an Authorized Test Laboratory (ATL) or,
 - Leveraging an existing Wi-Fi CERTIFIED product to create a derivative certification (see <u>Derivative Certifications Policy</u>)
- All products must demonstrate interoperability for one or more of the current 802.11 MAC/PHY certification programs - Wi-Fi CERTIFIED 6[™], Wi-Fi CERTIFIED ac, Wi-Fi CERTIFIED n, Wi-Fi CERTIFIED g, Wi-Fi CERTIFIED b, Wi-Fi CERTIFIED a or Wi-Fi CERTIFIED WiGig[™]
- All products must also be certified for current Wi-Fi[®] security programs Wi-Fi CERTIFIED WPA2[™] or Wi-Fi CERTIFIED WPA3[™] (as of July 1, 2020, all products must support WPA3[™])
- Available optional certification programs are listed at https://www.wi-fi.org/certification/programs
- Only devices that have achieved at least a baseline MAC/PHY and security certification may be designated as Wi-Fi CERTIFIED



Wi-Fi Alliance certification testing philosophy

- Devices are certified by testing against Wi-Fi Alliance test plans
- Wi-Fi Alliance certification testing validates that the Device Under Test (DUT) meets interoperability and program requirements
- Wi-Fi Alliance certification testing stresses behavior of a DUT using defined test plans and test beds
 - -Test beds consist of specially chosen equipment in specific configurations
 - -All Wi-Fi features implemented in a product must be tested
 - -DUT must successfully interoperate with all equipment in the required test bed
 - (Limited) performance measurements
 - (Limited) conformance to published specifications
 - Compatibility with test bed devices



Product certification

- Types of certifications
 - Source device: device tested at an ATL
 - Derivative device: based on a source device with no Wi-Fi component modification; no ATL testing required
- ATLs perform testing for:
 - New products
 - Additional certifications for an already certified product
 - Re-certification of an already certified product for change in firmware, driver or operating system
- <u>Current list of ATLs</u>

Derivative certification requirements

Component	Source device	Derivative device
Applications	Modifiable	Not Modifiable
OS		
Driver		
Physical Interface		
Firmware		
Chip		
RF Architecture		
RF Components		
Antenna		



Wi-Fi CERTIFIED testing basics

- ATLs require Wi-Fi Test Suite DUT software to be loaded onto devices for testing
 - Wi-Fi Test Suite reduces test time and manual intervention
 - Use of Wi-Fi Test Suite requires DUT to implement Wi-Fi Test Suite commands
 - For DUT software support, members should visit <u>https://www.wi-fi.org/members/certification-testing/wi-fi-test-suite</u> or contact <u>support@wi-fi.org</u>
- Test beds are available for purchase by qualified members for in-house testing prior to ATL testing
 - Qualified members include Sponsor, Contributor, Affiliate and Small Business Introductory Participant levels
 - The same test bed software used by the ATLs is provided to members at no charge



Sample test bed





ATL certification process



ATL sample timeline

First meeting with product

engineering and ATL engineering

Proprietary | © Wi-Fi Alliance

1 day

Jan 10

Jan 9

Notes:

- 50% of products require a second testing cycle
- Times are estimates will vary based on device-specific factors
- 802.11ac and Wi-Fi 6 will take longer to test



Worldwide network of independent test labs delivers accessibility and quality



